

Our Ref: 55759

4 March 2019

[southportandformbyccg.foi@nhs.net](mailto:southportandformbyccg.foi@nhs.net)

**NHS Southport & Formby CCG**  
5 Curzon Road  
Southport  
PR8 6PL

Tel : 0151 317 8456

Email: [southportandformby.ccg@nhs.net](mailto:southportandformby.ccg@nhs.net)

## Re: Freedom of Information Request

Please find below the response to your recent Freedom of Information request regarding Endometriosis: Diagnosis and Management within NHS Southport and Formby CCG.

Request/[Response](#):

### Part A

**Part A of the request refers to the National Institute for Health and Care Excellence (NICE) Guidelines called “Endometriosis: Diagnosis and Management” – NICE Guideline NG73. A link to which can be found here: <https://www.nice.org.uk/guidance/NG73>**

1. Since the “Endometriosis: Diagnosis and Management Guidelines” [NICE Guideline NG73] was published, has the CCG discussed in one or more meeting how to comply with them?  
Yes/No

No

2. If yes, please provide the minutes of the meetings where they were discussed.

Not Applicable

3. Has a gap analysis been undertaken by the CCG to identify where the “Endometriosis: Diagnosis and Management Guidelines” [NICE Guideline NG73] is not being met? Yes/No

No

4. If yes, please provide a copy

Not Applicable

5. Please supply any other information in relation to how your CCG is complying with the “Endometriosis: Diagnosis and Management Guidelines” [NICE Guideline NG73] that may be relevant.

Not Applicable

**Part B**

***Part B of the request refers to the 'Quality Standards on Endometriosis' [Quality Standard QS172] published in August 2018. A link to which can be found here: <https://www.nice.org.uk/guidance/QS172>***

1. Since the "Quality Standards on Endometriosis" [Quality Standard QS172] was published in August 2018, has the CCG discussed in one or more meetings how to comply with them?  
Yes/No

No

2. If yes, please provide the minutes of the meeting where they were discussed.

Not Applicable

3. Has the CCG undertaken an initial assessment of service compared with the quality statements in the "Quality Standards on Endometriosis [Quality Standard QS172]"? Yes/No

No

4. If yes, please provide a copy.

Not Applicable